

S. No.**COMPOSITION**

- | | |
|----|--|
| 1 | Composition:
Hydroquinone 2.0% w/w
Tretinoin 0.025% w/w
Mometasone Furoate 0.1% w/w
Cream Base. |
| 2 | Composition:
Adapalene 0.1% w/w,
Aqueous gel base q.s.
Preservatives:
Methyl Paraben 0.1%w/w
Phenoxyethanol B.P. 0.25% w/w |
| 3 | Composition:
Clindamycin phosphate
eqv. to Clindamycin 1% w/w,
Nicotinamide 4%w/w,
Aloe-Allantoin gel base q.s. |
| 4 | Composition:
Clindamycin phosphate
eqv. to Clindamycin 1% w/w,
Adapalene 0.1%w/w,
Preservative:
Methylparaben 0.1% w/w,
Phenoxyethanol 0.25%w/w
In an aqueous gel base q.s. |
| 5 | Composition :
Hydroquinone 4.00% w/w,
In a cream base q.s. |
| 6 | Composition :
Hydroquinone 2.00% w/w,
Tretinoin 0.025%w/w,
Hydrocortisone acetate 1.00% w/w,
In a cream base q.s. |
| 7 | Composition:
Hydroquinone 2.00% w/w,
Oxybenzone 3.00% w/w,
Octinoxate 5.00% w/w
In a cream base q.s. |
| 8 | Composition:
Hydroquinone 4.00% w/w,
Oxybenzone 3.00% w/w,
Octinoxate 5.00% w/w
In a cream base q.s. |
| 9 | Composition:
Hydrous Benzoyl peroxide
eq. to Anhydrous Benzoyl peroxide 2.5% w/w
In an aqueous gel base q.s. |
| 10 | Composition:
Hydrous Benzoyl peroxide
eq. to Anhydrous Benzoyl peroxide 5.0% w/w
In an aqueous gel base q.s. |
| 11 | Composition:
Sertaconazole Nitrate in cream Base 2% w/w |

S. No.

COMPOSITION

- 12
Composition:
Hydroquinone 2.0% w/w
Tretinoin 0.025% w/w
Mometasone Furoate 0.1% w/w
Cream Base.
- 13
Composition:
Adapalene 0.1% w/w,
Aqueous gel base q.s.
Preservatives:
Methyl Paraben 0.1%w/w
Phenoxyethanol B.P. 0.25% w/w
- 14
Composition:
Beclomethasone Dipropionate 0.025% w/w
Clotrimazole 1.0% w/w
Neomycin Sulphate
Eq. to Neomycin 0.50% w/w
Chlorocresol (As Preservative)0.1% w/w
Cream Base.
- 15
Composition :
Clobetasol propionate 0.05% w/w,
Chlorocresol 0.1% w/w
(As preservative)
In a non greasy base q.s
- 16
Composition :
Clobetasol propionate 0.05% w/w,
Salicylic acid 6.00% w/w
In an ointment base q.s.
- 17
Composition :
Clobetasol propionate 0.05% w/w,
Miconazole nitrate 2.0% w/w,
Chlorocresol 0.1% w/w
(As preservative)
In a non greasy base q.s
- 18
Composition:
Hydroquinone 2.00% w/w,
Tretinoin 0.025% w/w,
Fluocinolone acetonide 0.01% w/w
In a cream base q.s.
- 19
Each gm contains:
Fusidic acid 20mg
Beclomethasone dipropionate 0.25mg
Preservatives : Chlorocresol 1.2mg
In a water miscible cream base q.s.
- 20
Composition :
Clobetasol propionate 0.05% w/w,
Salicylic acid 6.50% w/w
In an ointment base
- 21
Composition:
Mometasone furoate 1mg
In a cream base q.s. to make 1gm

S. No.

COMPOSITION

22 Composition: Clobetasol propionate 0.05%w/w
Clotrimazole 1.00%w/w
Neomycin sulphate
Eq. to Neomycin 0.35%w/w
Cream base q.s.

23 Composition:
Fluocinolone Acetonide 0.025% w/w
Clotrimazole 1.0%w/w
Neomycin Sulphate % w/w
Cream base q.s.

24 Composition:
Mupirocin ...2%w/w
Ointment Base....q.s.

25 Composition:
Triamcinolone Acetonide 0.1% w/w
In Buccal paste

26 Composition:
Clobetasol propionate 0.05%w/w
Miconazole nitrate 2.0%w/w
Neomycin sulphate
eqv. To neomycin Base 0.5%w/w
Chlorocresol 0.1% w/w
(as preservative)
Cream base q.s.

27 Composition:
Polymyxin B-Sulfate 5000 Units
Bacitracin Zinc 400 Units
Neomycin Sulphate 3400 Units
ointment base q.s.

28 Composition:
Beclomethasone Dipropionate 0.025% w/w
Neomycin Sulphate
Eq. to Neomycin 0.5 % w/w
In a Cream base q.s.

29 Composition:
Ketoconazole 2% w/w
Beclomethasone Dipropionate 0.025% w/w
Cream baseq.s.

30 Composition:
Potassium nitrate 5%w/w
In a pleasantly flavoured gel base q.s.
Colour : Brilliant Blue

31 Povidone-Iodine 5%w/w
(Available Iodine 0.5% w/w)
Water soluble ointment base q.s

32 Each gm contains:
Permethrin 50mg
Preservative : Formaldehyde solution 1mg
Cream base q.s.

33 Composition:
Tacrolimus 0.03%w/w
In an ointment base q.s.

S. No.

COMPOSITION

- 34 Composition:
Tacrolimus 0.1% w/w
In an ointment base q.s.
- 35 Composition:
Choline salicylate Solution
Eq. to Choline salicylate 8.7% w/w
Lignocain Hydrochloride IP 2% w/w
Benzalkonium Chloride Solution IP 0.01% w/w (As preservative),
In Pleasant Flavoured Base q.s.
- 36 Composition:
Potassium Nitrate 5%w/w
Sodium Monoluro Phosphate 7%w/w
Potassium Iodide 1% w/w
- 37 Composition:
Sucralfate 7%w/w
Tinidazole 1%
Povidone-Iodine 5% w/w (0.5% w/w available iodine)
In a soluble Ointment Base....q.s.
- 38 Each Gm contain:
Heparin sodium 50IU
Benzyl Nicotinate 2mg
Methyl Paraben 0.025mg
Propyl Paraben 0.015mg
Ointment Base....q.s.
- 39 Composition:
Povidone-Iodine 10% w/w
available iodine 1% w/w
Water soluble Ointment Base....q.s.
- 40 Composition:
Silver Sulfadiazine 0.5% w/w
Chlorohexidine Gluconate Solutions
eq to to Chlorhexidine Gluconate 0.2% w/w
Cream baseq.s.
- 41 Composition:
Itraconazole 1.00% w/w
Ofloxacin 0.75% w/w
Ornidazole 2.0% w/w
Clobetasole Propionate 0.05% w/w
Cream baseq.s.
- 42 Composition:
Ketoconazole 20 mg
Iodochlorhydroxyquinoline 10 mg
Tolnalate 10 mg
Neomycin Sulphate
eq to Neomycin 1mg
Clobetasole Propionate 1 mg
Dexpenthanol 0.5 mg
In ointment base
- 43 Composition :
Salicylic acid 2.00% w/w
Gel base q.s.

S. No.

COMPOSITION

44
 Composition:
 Ciproloxacin Hydrochloride
 Eq to ciprolocacin 1.0 % w/w
 Metranidazole Benzoate
 Eq to metronidazole 2.0% w/w
 Terbinaine Hydrochloride
 Eq. to Terbinaine 1.0% w/w
 Clobetasole Propionate 0.05% w/w
 Preservatives

45
 Composition:
 Linseed Oil 3%w/w
 Diclofenac Diethyl Ammonium 1.16%w/w
 Eqv. To Diclofenac Sodium 1.0%w/w
 Methyl Salicylate 10.0%w/w
 Menthol 5.0%w/w
 Preservative
 Methyl Paraben Sodium 0.1%w/w
 Propyl Paraben Sodium 0.05%w/w

46
 Composition:
 Linseed Oil 3%w/w
 Diclofenac Diethyl Ammonium 1.16%w/w
 Eqv. To Diclofenac Sodium 1.0%w/w
 Methyl Salicylate 10.0%w/w
 Capsaicin 0.025%w/w
 Menthol 5.0%w/w
 Preservative
 Benzyl Alcohol 1.0%w/w
 Gel Base q.s.

47
 Composition:
 Linseed Oil 3%w/w
 Diclofenac Diethylamine 1.16%w/w
 Eqv. to Diclofenac Sodium 1.0%w/w
 Methyl Salicylate 10.0%w/w
 Menthol 0.5%w/w
 Benzyl Alcohol 1.0% w/w
 (as preservative) Gel Base q.s.

48
 Composition:
 Diclofenac Diethylamine 1.16%w/w
 Eqv. to Diclofenac Sodium 1.0%w/w
 Thiocolchicoside 0.125%w/w
 Virgin Linseed Oil 3.0%w/w
 Methyl Salicylate 10.0%w/w
 Menthol 5.0%w/w
 (as preservative) Gel Base q.s.

49
Composition:
 Clotrimazole IP 1.0% w/w
 In water miscible base q.s.
Preservatives:
 Benzyl Alcohol IP 1.0% w/w
 Methylparaben IP 0.15% w/w
 Propylparaben IP 0.05% w/w

S. No.

COMPOSITION

- 50
Composition:
Fusidic Acid 20 mg
Beclomethasone Dipropionate 0.25 mg
Preservatives
Chlorocresol 1.25 mg
In a water miscible Cream base q.s.
- 51
Composition:
Clobetasol Propionate 0.05% w/w
Miconazole Nitrate 2.0 w/w
Neomycin Sulphate IP eq. to Neomycin 0.5% w/w
Zinc Sulphate 2% w/w
Cream Base q.s.
- 52
Composition:
Miconazole Nitrate 2% w/w
Preservative
Chlorocresol IP 0.1% w/w
In a cream base with
Propylene Glycol IP q.s.
- 53
Composition:
Clotrimazole 2.0% w/w
In water miscible base q.s.
Preservatives:
Benzyl Alcohol 1.0 % w/w
Methylparaben 0.15% w/w
Propylparaben 0.05% w/w
- 54
Composition:
Miconazole Nitrate 2% w/w
Fluocinolone Acetonide 0.01 w/w
In a cream base q.s.
- 55
Composition:
Beclometasone Dipropionate 0.025% w/w
Neomycin Sulphate
Eq. to Neomycin 0.5% w/w
In a Cream base
- 56
Composition:
Luliconazole 1.0% w/w
Cream Base q.s.
- 57
Composition:
Itraconazole 1.0% w/w
Cream Base q.s.